

# ACTA MATERIALIA

---

## CONTENTS, AUTHOR AND KEYWORD INDEX VOLUME 48 2000

### *Board of Governors*

Professor Karl A. Gschneidner Jr. *Chairman*  
Professor Thaddeus B. Massalski, *Secretary*  
Dr Robert L. Fullman, *Treasurer, ex officio*  
Professor Gareth Thomas, *Managing Director, ex-officio*

Dr Kenneth Kinsman  
Dr Howard K. Birnbaum  
Dr Jere H. Brophy  
Dr William W. Scott Jr

Professor Mats Hillert  
Professor David G. Brandon  
Professor Robert H. Wagoner  
Professor Dr Peter Neumann

### *Principal Editors*

Professor Subra Suresh, Department of Materials Science and Engineering, Massachusetts Institute of Technology,  
77 Massachusetts Avenue, Room 4-140, Cambridge, MA 02139-4307, U.S.A.

Professor Hirotaro Mori, Research Center for Ultra-High Voltage Electron Microscopy, Osaka University,  
Yamadaoka, Suita, Osaka 565, Japan

Professor Richard Wagner, Forschungszentrum Jülich GmbH, D-52425 Jülich, Germany


Professor Ramamoorthy Ramesh, Center for Superconductivity Research, Department of Physics and Department of  
Materials Science and Engineering, University of Maryland, College Park, MD 20742, U.S.A.

### *Associate Editors*

Dr S. Banerjee (*India*)  
Professor J. Th. M. De Hosson (*The Netherlands*)  
Dr B. Derby (*United Kingdom*)  
Dr D. Juul Jensen (*Denmark*)  
Professor R. Kirchheim (*Germany*)  
Dr L. P. Kubin (*France*)

Dr S. P. Lynch (*Australia*)  
Professor A. Mortensen (*Switzerland*)  
Professor F. R. N. Nabarro (*South Africa*)  
Professor J. H. Perepezko (*U.S.A.*)  
Professor L. Schultz (*Germany*)  
Professor Z.-G. Wang (*China*)

*Publishing Office:* Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, England.



# ACTA MATERIALIA

## CONTENTS OF VOLUME 48

### NUMBER 1

#### THE MILLENNIUM SPECIAL ISSUE

	xi	Editorial
H. Gleiter	1	Nanostructured materials: basic concepts and microstructure
F. Spaepen	31	Interfaces and stresses in thin films
W. J. Boettinger, S. R. Coriell, A. L. Greer, A. Karma, W. Kurz, M. Rappaz and R. Trivedi	43	Solidification microstructures: recent developments, future directions
J. Hafner	71	Atomic-scale computational materials science
J. P. Hirth	93	Some current topics in dislocation theory
A. Needleman	105	Computational mechanics at the mesoscale
J. W. Hutchinson and A. G. Evans	125	Mechanics of materials: top-down approaches to fracture
S. Mahajan	137	Defects in semiconductors and their effects on devices
N. Setter and R. Waser	151	Electroceramic materials
S. M. Spearing	179	Materials issues in microelectromechanical systems (MEMS)
R. D. James and K. F. Hane	197	Martensitic transformations and shape-memory materials
M. E. McHenry and D. E. Laughlin	223	Nano-scale materials development for future magnetic applications
P. Grünberg	239	Layered magnetic structures in research and application
G. Wegner	253	Functional polymers
L. G. Griffith	263	Polymeric biomaterials
A. Inoue	279	Stabilization of metallic supercooled liquid and bulk amorphous alloys
M. Yamaguchi, H. Inui and K. Ito	307	High-temperature structural intermetallics
D. E. Newbury and D. B. Williams	323	The electron microscope: the materials characterization tool of the millennium

H. K. Wickramasinghe	347	Progress in scanning probe microscopy
M. F. Ashby	359	Multi-objective optimization in material design and selection
M. C. Flemings and R. W. Cahn	371	Organization and trends in materials science and engineering education in the US and Europe

## NUMBER 2

	vii	Editorial
	ix	Announcement—2000 Acta Metallurgica Inc. J. Herbet Holloman Award
M. J. H. van Dal, M. C. L. P. Pleumeekers, A. A. Kodentsov and F. J. J. van Loo	385	Intrinsic diffusion and Kirkendall effect in Ni-Pd and Fe-Pd solid solutions
G. Gottstein, A. H. King and L. S. Shvindlerman	397	The effect of triple-junction drag on grain growth
R. C. Atwood, S. Sridhar, W. Zhang and P. D. Lee	405	Diffusion-controlled growth of hydrogen pores in aluminium-silicon castings: <i>in situ</i> observation and modelling
D. Ma, Y. Li, S. C. Ng and H. Jones	419	Unidirectional solidification of Zn-rich Zn-Cu peritectic alloys—I. Microstructure selection
W. C. Johnson	433	Superficial stress and strain at coherent interfaces
O. Grong and O. R. Myhr	445	Additivity and isokinetic behaviour in relation to diffusion controlled growth
M. Radovic, M. W. Barsoum, T. El-Raghy, J. Seidensticker and S. Wiederhorn	453	Tensile properties of $Ti_3SiC_2$ in the 25–1300°C temperature range
M. Hillert and M. Schalin	461	Modeling of solute drag in the massive phase transformation
F. Ebrahimi, J. Yanevich and D. P. Deluca	469	Deformation and fracture of the PWA 1472 superalloy single crystal
W. J. Boettinger, S. R. Coriell, C. E. Campbell and G. B. McFadden	481	On the properties of $\alpha/\alpha+\beta$ ternary diffusion couples
H. S. Kim, Y. Estrin and M. B. Bush	493	Plastic deformation behaviour of fine-grained materials

J. Crépin, T. Bretheau, D. Caldemaison and F. Ferrer	505	Low cycle fatigue behaviour of $\beta$ treated zirconium: partial irreversibility of twinning and consequences for damage
M. Hirao, H. Ogi, N. Suzuki and T. Ohtani	517	Ultrasonic attenuation peak during fatigue of polycrystalline copper
K. S. Ravichandran and X-D. Li	525	Fracture mechanical character of small cracks in polycrystalline materials: concept and numerical $K$ calculations
T. A. Parthasarathy, P. R. Subramanian, M. G. Mendiratta and D. M. Dimiduk	541	Phenomenological observations of lamellar orientation effects on the creep behavior of Ti-48at.%Al PST crystals
M. R. Daymond, C. N. Tomé and M. A. M. Bourke	553	Measured and predicted intergranular strains in textured austenitic steel
D. Kovar, S. J. Bennison and M. J. Readey	565	Crack stability and strength variability in alumina ceramics with rising toughness-curve behavior
X. Wang, K. Xiao, L. Ye, Y-W. Mai, C. H. Wang and L. R. F. Rose	579	Modelling mechanical properties of core-shell rubber-modified epoxies

587 Erratum

### NUMBER 3

vii Editorial

Y. Mishin and C. Herzig	589	Overview No. 136: Diffusion in the Ti-Al system
M. J. Kobrinsky and C. V. Thompson	625	Activation volume for inelastic deformation in polycrystalline Ag thin films
D. S. Grummon and R. Gotthardt	635	Latent strain in titanium-nickel thin films modified by irradiation of the plastically-deformed martensite phase with 5 MeV $\text{Ni}^{2+}$
B. J. Reardon and S. R. Bingert	647	Inversion of tantalum micromechanical powder consolidation and sintering models using bayesian inference and genetic algorithms
D. Chen, C. J. Gilbert, X. F. Zhang and R. O. Ritchie	659	High-temperature cyclic fatigue-crack growth behavior in an <i>in situ</i> toughened silicon carbide
H. Takatani, C-A. Gandin and M. Rappaz	675	EBSD characterisation and modelling of columnar dendritic grains growing in the presence of fluid flow
W. Österle, D. Bettge, B. Fedelich and H. Klingelhöffer	689	Modelling the orientation and direction dependence of the critical resolved shear stress of nickel-base superalloy single crystals

P. Staron and R. Kampmann	701	Early-stage decomposition kinetics in Ni-Al Alloys—I. Small and wide-angle neutron scattering investigation on Ni-13 at.% Al and clusterdynamic modelling
P. Staron and R. Kampmann	713	Early-stage decomposition kinetics in Ni-Al alloys—II. Clusterdynamic modelling of former experimental results
F. Czerwinski	721	On the use of the micromarker technique for studying the growth mechanism of thin oxide films
M. L. Dunn, S. J. Cunningham and P. E. W. Labossiere	735	Initiation toughness of silicon/glass anodic bonds
X-Y. Gong, F. W. Zok, B. N. Cox and J. Davis	745	The mechanics of delocalization and energy absorption in chain composites
B. N. Cox, N. Sridhar, J. B. Davis, X-Y. Gong and F. W. Zok	755	The energy absorption potential of chain composites
J. S. Lin and Y. Miyamoto	767	Notch effect of surface compression and the toughening of graded $\text{Al}_2\text{O}_3/\text{TiC}/\text{Ni}$ materials
L. Donzel, E. Conforto and R. Schaller	777	High-temperature mechanical spectroscopy of yttria-stabilized tetragonal zirconia polycrystals (Y-TZP) with different amounts of intergranular phase
B. Färber, E. Cadel, A. Menand, G. Schmitz and R. Kirchheim	789	Phosphorus segregation in nanocrystalline Ni-3.6 at.% P alloy investigated with the tomographic atom probe (TAP)

#### NUMBER 4

	vii	Editorial
R. Waser and R. Hagenbeck	797	Overview No. 137: Grain boundaries in dielectric and mixed-conducting ceramics
V. Rothová, I. Stloukal and J. Čermák	827	Permeation of hydrogen in Ni-based superalloy CMSX-4
Q. Xu, V. V. Gupta and E. J. Lavernia	835	Thermal behavior during droplet-based deposition
B. Skrotzki	851	Crystallographic aspects of deformation twinning and consequences for plastic deformation processes in $\gamma$ -TiAl
Y. X. Gao, H. Fan and Z. Xiao	863	A thermodynamics model for solder profile evolution
G. Sharma, R. V. Ramanujan and G. P. Tiwari	875	Instability mechanisms in lamellar microstructures

- |   |     |   |
|---|-----|---|
| K. Wakashima, T. Moriyama<br>and T. Mori                            | 891 | Steady-state creep of a particulate SiC/6061 Al composite   |
| K. Kaneko, M. Kawasaki,<br>T. Nagano, N. Tamari and<br>S. Tsurekawa | 903 | Determination of the chemical width of grain boundaries<br>of boron- and carbon-doped hot-pressed $\beta$ -SiC by HAADF<br>imaging and ELNES line-profile |
| K. S. Kumar, L. Pang,<br>C. T. Liu, J. Horton and<br>E. A. Kenik    | 911 | Structural stability of the Laves phase $\text{Cr}_2\text{Ta}$ in a two-<br>phase Cr-Cr <sub>2</sub> Ta alloy   |
| A. Misra, A. A. Sharif,<br>J. J. Petrovic and<br>T. E. Mitchell     | 925 | Rapid solution hardening at elevated temperatures by<br>substitutional Re alloying in $\text{MoSi}_2$   |
| T. Hentschel, D. Isheim,<br>R. Kirchheim, F. Müller<br>and H. Kreye | 933 | Nanocrystalline Ni-3.6 at.% P and its transformation<br>sequence studied by atom-probe field-ion microscopy   |
| M. Nagumo, T. Yagi and<br>H. Saitoh                                 | 943 | Deformation-induced defects controlling fracture toughness<br>of steel revealed by tritium desorption behaviors   |
| D. Vollath and D. V. Szabó  | 953 | Nanoparticles from compounds with layered structures  |
| D. V. Shtansky, K. Nakai and<br>Y. Ohmori                           | 969 | Decomposition of martensite by discontinuous-like<br>precipitation reaction in an Fe-17Cr-0.5C alloy  |
| O. Sbaizero and G. Pezzotti   | 985 | Influence of the metal particle size on toughness of<br>$\text{Al}_2\text{O}_3/\text{Mo}$ composite   |
| J. Rodríguez, A. Martín and J.<br>LLorca                            | 993 | Modeling the effect of temperature on the wear resistance<br>of metals reinforced with ceramic particles  |

## NUMBER 5

### vii Editorial

- |  |      |  |
|--|------|--|
| P. A. Sundaram, E. Wessel, H.<br>Clemens, H. Kestler,<br>P. J. Ennis,<br>W. J. Quadakkers and<br>L. Singheiser | 1005 | Determination of the diffusion coefficient of hydrogen in<br>gamma titanium aluminides during electrolytic charging  |
| W. C. Johnson  | 1021 | On the growth of an intermediate phase in coherently<br>stressed thin plates   |
| T. Fujii, H. Nakazawa,<br>M. Kato and U. Dahmen  | 1033 | Crystallography and morphology of nanosized Cr particles<br>in a Cu-0.2% Cr alloy  |
| R. C. Pond, P. Shang,<br>T. T. Cheng and<br>M. Aindow  | 1047 | Interfacial dislocation mechanism for diffusional phase<br>transformations exhibiting martensitic crystallography:<br>formation of $\text{TiAl} + \text{Ti}_3\text{Al}$ lamellae |
| I. Dutta   | 1055 | Role of interfacial and matrix creep during thermal cycling<br>of continuous fiber reinforced metal-matrix composites  |

- |  |      |  |
|--|------|--|
| F. Delaire, J. L. Raphanel<br>and C. Rey   | 1075 | Plastic heterogeneities of a copper multicrystal deformed in uniaxial tension: experimental study and finite element simulations |
| M. Asta and J. J. Hoyt   | 1089 | Thermodynamic properties of coherent interfaces in f.c.c.-based Ag-Al alloys: a first-principles study                           |
| M. Verwerft  | 1097 | On the precipitation of magnesium silicide in irradiated aluminium-magnesium alloys  |
| S. G. E. te Velthuis,<br>N. H. van Dijk,<br>M. T. Rekveldt, J. Sietsma<br>and S. van der Zwaag | 1105 | Field-dependent neutron depolarization study of the ferrite formation in medium-carbon steels                                    |
| A. Gholinia, P. B. Prangnell<br>and M. V. Markushev  | 1115 | The effect of strain path on the development of deformation structures in severely deformed aluminium alloys processed by ECAE   |
| J. W. L. Pang, T. M. Holden,<br>J. S. Wright and<br>T. E. Mason                                | 1131 | The generation of intergranular strains in 309H stainless steel under uniaxial loading   |
| K. Sapozhnikov,<br>S. Golyandin, S. Kustov,<br>J. Van Humbeeck and<br>R. De Batist             | 1141 | Motion of dislocations and interfaces during deformation of martensitic Cu-Al-Ni crystals  |
| E. A. Olevsky and<br>R. M. German  | 1153 | Effect of gravity on dimensional change during sintering—I. Shrinkage anisotropy   |
| E. A. Olevsky, R. M. German<br>and A. Upadhyaya  | 1167 | Effect of gravity on dimensional change during sintering—II. Shape distortion  |
| W. S. Tong, J. M. Rickman<br>and K. Barmak   | 1181 | Evolution of perimeter fraction during a phase transformation  |
| R. Tewari, S. Mazumder,<br>I. S. Batra, G. K. Dey and<br>S. Banerjee                           | 1187 | Precipitation in 18 wt% Ni maraging steel of grade 350   |
| V. H. Garcia, P. M. Mors and<br>C. Scherer   | 1201 | Kinetics of phase formation in binary thin films: the Ni/Al case   |

#### NUMBER 6

- |  |      |   |
|--|------|---|
| D. H. Bae and A. K. Ghosh                              | 1207 | Grain size and temperature dependence of superplastic deformation in an Al-Mg alloy under isostructural condition |
| T. Neeraj, D-H. Hou,<br>G. S. Daehn and<br>M. J. Mills | 1225 | Phenomenological and microstructural analysis of room temperature creep in titanium alloys                        |



- |  |      |   |
|--|------|---|
| J. Kanters, U. Eisele and<br>J. Rödel  | 1239 | Effect of initial grain size on sintering trajectories  |
| S. Schüler, B. Derby,<br>M. Wood and<br>C. Ward-Close                            | 1247 | Matrix flow and densification during the consolidation of<br>matrix coated fibres   |
| A-M. Harte and N. A. Fleck   | 1259 | Deformation and failure mechanisms of braided composite<br>tubes in compression and torsion                                   |
| F. Yin, Y. Ohsawa, A. Sato<br>and K. Kawahara                                    | 1273 | Phase decomposition of the $\gamma$ phase in a Mn-30 at.% Cu<br>alloy during aging  |
| J. I. Pérez-Landazábal,<br>M. L. Nó, G. Madariaga,<br>V. Recarte and J. San Juan | 1283 | Quantitative analysis of $\delta'$ precipitation kinetics in Al-Li<br>alloys  |
| F. Wakai, N. Enomoto and<br>H. Ogawa   | 1297 | Three-dimensional microstructural evolution in ideal grain<br>growth—general statistics                                       |
| Y. L. Hao, R. Yang,<br>Y. Y. Cui and D. Li                                       | 1313 | The influence of alloying on the $\alpha_2/(\alpha_2+\gamma)/\gamma$ phase<br>boundaries in TiAl based systems                |
| M. Krishnan and J. B. Singh  | 1325 | A novel B19' martensite in nickel titanium shape memory<br>alloys   |
| I. Karaman, H. Sehitoglu,<br>K. Gall, Y. I. Chumlyakov<br>and H. J. Maier        | 1345 | Deformation of single crystal Hadfield steel by twinning<br>and slip  |
| I. Sevostianov and<br>M. Kachanov  | 1361 | Modeling of the anisotropic elastic properties of plasma-<br>sprayed coatings in relation to their microstructure             |
| H. Zhang and H. Wong   | 1371 | Self-similar growth of a compound layer in thin-film<br>binary diffusion couples  |
| A. Inoue and X. M. Wang  | 1383 | Bulk amorphous FC20 (Fe-C-Si) alloys with small<br>amounts of B and their crystallized structure and<br>mechanical properties |
| J. M. Pelletier, J. Perez and L.<br>Duffrene                                     | 1397 | Mechanical response of an oxide glass to mechanical<br>loading—shear and volume relaxation effects: physical<br>analysis      |
| Y. F. Zheng, W. Cai,<br>J. X. Zhang, L. C. Zhao<br>and H. Q. Ye                  | 1409 | Microstructural development inside the stress induced<br>martensite variant in a Ti-Ni-Nb shape memory alloy                  |

#### NUMBER 7

- |  |      |  |
|--|------|--|
| Y. H. Sohn and<br>M. A. Dayananda                  | 1427 | A double-serpentine diffusion path for a ternary diffusion<br>couple |
| N. Froumin, N. Frage,<br>M. Polak and M. P. Dariel | 1435 | Wetting phenomena in the TiC/(Cu-Al) system                          |

- P. Wanjara, R. A. L. Drew, J. Root and S. Yue 1443 Evidence for stable stoichiometric  $\text{Ti}_2\text{C}$  at the interface in TiC particulate reinforced Ti alloy composites
- E. E. Nugent, R. B. Calhoun and A. Mortensen 1451 Experimental investigation of stress and strain fields in a ductile matrix surrounding an elastic inclusion
- K. Hagihara, T. Nakano and Y. Umakoshi 1469 Plastic deformation behaviour and operative slip systems in  $\text{Ni}_3\text{Nb}$  single crystals
- A. K. Kronenberg, J. Castaing, T. E. Mitchell and S. H. Kirby 1481 Hydrogen defects in  $\alpha\text{-Al}_2\text{O}_3$  and water weakening of sapphire and alumina ceramics between 600 and 1000°C—I. Infrared characterization of defects
- J. Castaing, A. K. Kronenberg, S. H. Kirby and T. E. Mitchell 1495 Hydrogen defects in  $\alpha\text{-Al}_2\text{O}_3$  and water weakening of sapphire and alumina ceramics between 600°C and 1000°C—II. Mechanical properties
- I. Salles-Desvignes, T. Montesin, C. Valot, J. Favregeon, G. Bertrand and A. Vadon 1505 Near-coincidence lattice method for the determination of epitaxy strains during oxidation of metals
- J. N. Wang 1517 An investigation of the deformation mechanism in grain size-sensitive Newtonian creep
- E. Rabkin, L. Klinger and V. Semenov 1533 Grain boundary grooving at the singular surfaces
- J.-J. Blandin and R. Dendievel 1541 A mesoscale model to predict the effect of microstructural heterogeneities on superplastic deformation
- N. Goukon, T. Ikeda and M. Kajihara 1551 Characteristic features of diffusion induced grain boundary migration for  $\Sigma 9$  [110] asymmetric tilt boundaries in the Cu(Zn) system
- Y. Li, K. T. Ramesh and E. S. C. Chin 1563 Viscoplastic deformations and compressive damage in an A359/ $\text{SiC}_p$  metal-matrix composite
- B.-K. Lee, S.-Y. Chung and S.-J. L. Kang 1575 Grain boundary faceting and abnormal grain growth in  $\text{BaTiO}_3$
- T. Chairuangsi and D. V. Edmonds 1581 Abnormal ferrite in hyper-eutectoid steels
- D. A. Stewart, P. H. Shipway and D. G. McCartney 1593 Microstructural evolution in thermally sprayed WC-Co coatings: comparison between nanocomposite and conventional starting powders
- O. R. Myhr and O. Grong 1605 Modelling of non-isothermal transformations in alloys containing a particle distribution
- D. Raabe 1617 Scaling Monte Carlo kinetics of the Potts model using rate theory

- T. Ujihara and K. Osamura 1629 Kinetic analysis of spinodal decomposition process in Fe-Cr alloys by small angle neutron scattering

# NUMBER 8

- C. Schuh, P. Noël and D. C. Dunand 1639 Enhanced densification of metal powders by transformation-mismatch plasticity
- M. Collin and D. Rowcliffe 1655 Analysis and prediction of thermal shock in brittle materials
- Y.-L. Shen, Y. L. Guo and C. A. Minor 1667 Voiding induced stress redistribution and its reliability implications in metal interconnects
- D. V. Shtansky, K. Nakai and Y. Ohmori 1679 Crystallography and structural evolution during reverse transformation in an Fe-17Cr-0.5C tempered martensite
- J. F. Nie and B. C. Muddle 1691 Characterisation of strengthening precipitate phases in a Mg-Y-Nd alloy
- Y. Le Bouar and A. G. Khachaturyan 1705 Mechanism and modeling of saw-tooth structure formation in the  $L1_2$ - $L1_0$  two-phase system
- H. Wong, P. W. Voorhees, M. J. Miksis and S. H. Davis 1719 Periodic mass shedding of a retracting solid film step
- R. Fu and T.-Y. Zhang 1729 Influences of temperature and electric field on the bending strength of lead zirconate titanate ceramics
- D. Ma, Y. Li, S. C. Ng and H. Jones 1741 Unidirectional solidification of Zn-rich Zn-Cu peritectic alloys—II. Microstructural length scales
- A. Landa, P. Wynblatt, D. J. Siegel, J. B. Adams, O. N. Mryasov and X.-Y. Liu 1753 Development of glue-type potentials for the Al-Pb system: phase diagram calculation
- W.-J. Kim and O. D. Sherby 1763 Particle weakening in superplastic SiC/2124 Al composites at high temperature
- S. Celotto 1775 TEM study of continuous precipitation in Mg-9 wt%Al-1 wt%Zn alloy
- T. Hasegawa, T. Takahashi and K. Okazaki 1789 Deformation parameters governing tensile elongation for a mechanically milled Al-1.1at.%Mg-1.2at.%Cu alloy tested in tension at constant true strain rates
- S. Hirose, T. Sato, A. Kamio and H. M. Flower 1797 Classification of the role of microalloying elements in phase decomposition of Al based alloys
- S. Nagarjuna, M. Srinivas and K. K. Sharma 1807 The grain size dependence of flow stress in a Cu-26Ni-17Zn alloy

- |   |      |  |
|---|------|--|
| D. R. Mumm and<br>A. G. Evans                                       | 1815 | On the role of imperfections in the failure of a thermal barrier coating made by electron beam deposition  |
| V. Y. Kolosov and<br>A. R. Thölen                                   | 1829 | Transmission electron microscopy studies of the specific structure of crystals formed by phase transition in iron oxide amorphous films              |
| S. L. Semiatin, D. P. DeLo<br>and E. B. Shell                       | 1841 | The effect of material properties and tooling design on deformation and fracture during equal channel angular extrusion                              |
| S-H. Choi, J. C. Brem,<br>F. Barlat and K. H. Oh                    | 1853 | Macroscopic anisotropy in AA5019A sheets   |
| X-L. Xu and<br>R. K. N. D. Rajapakse                                | 1865 | A theoretical study of branched cracks in piezoelectrics   |
| B. J. Inkson  | 1883 | Dislocations and twinning activated by the abrasion of $\text{Al}_2\text{O}_3$   |
| A. Godfrey and D. A. Hughes   | 1897 | Scaling of the spacing of deformation induced dislocation boundaries   |
| G. Majkic, L. Wheeler and<br>K. Salama                              | 1907 | Creep of polycrystalline $\text{SrCo}_{0.8}\text{Fe}_{0.2}\text{O}_{3-\delta}$   |
| J. V. Fernandes and<br>M. F. Vieira                                 | 1919 | Further development of the hybrid model for polycrystal deformation  |
| N. Wang and B. Wei  | 1931 | Rapid solidification of undercooled Cu-Ge peritectic alloy   |
| L. Ratke and J. Alkemper  | 1939 | Ordering of the fibrous eutectic microstructure of Al-Al <sub>3</sub> Ni due to accelerated solidification conditions                                |
| R. C. Hugo and<br>R. G. Hoagland                                    | 1949 | The kinetics of gallium penetration into aluminum grain boundaries— <i>in situ</i> TEM observations and atomistic models                             |
| H. Miura, T. Sakai,<br>T. Otsuka, R. Monzen and<br>S. Onaka         | 1959 | Sliding of copper [001]-twist grain boundaries detected by shear deformation of liquid $\text{B}_2\text{O}_3$ particles on the grain boundaries      |
| K. F. Kelton  | 1967 | Time-dependent nucleation in partitioning transformations  |
| T. Link, A. Epishin,<br>U. Brückner and P. Portella                 | 1981 | Increase of misfit during creep of superalloys and its correlation with deformation  |
| D. T. L. van Agterveld,<br>G. Palasantzas and<br>J. T. M. De Hosson | 1995 | Effects of precipitates in Cu upon impact fracture: an ultra-high-vacuum study with local probe Scanning Auger/Electron Microscopy                   |
| A. Borbély, J. H. Driver and<br>T. Ungár                            | 2005 | An X-ray method for the determination of stored energies in texture components of deformed metals; application to cold worked ultra high purity iron |
| Y. Huang and<br>F. J. Humphreys                                     | 2017 | Subgrain growth and low angle boundary mobility in aluminium crystals of orientation {110}<001>  |

# NUMBER 9

- I. Karaman, H. Sehitoglu, A. J. Beaudoin, Y. I. Chumlyakov, H. J. Maier and C. N. Tomé 2031 Modeling the deformation behavior of Hadfield steel single and polycrystals due to twinning and slip
- R.-J. Xie, M. Mitomo and G.-D. Zhan 2049 Superplasticity in a fine-grained beta-silicon nitride ceramic containing a transient liquid
- J. Koike, Y. Shimoyama, I. Ohnuma, T. Okamura, R. Kainuma, K. Ishida and K. Maruyama 2059 Stress-induced phase transformation during superplastic deformation in two-phase Ti-Al-Fe alloy
- T. Kuwabara, M. Kuroda, V. Tvergaard and K. Nomura 2071 Use of abrupt strain path change for determining subsequent yield surface: experimental study with metal sheets
- M. Kumar, W. E. King and A. J. Schwartz 2081 Modifications to the microstructural topology in f.c.c. materials through thermomechanical processing
- O. A. Kaibyshev, S. N. Faizova and A. F. Hairullina 2093 Diffusional mass transfer and superplastic deformation
- F. Basson and J. H. Driver 2101 Deformation banding mechanisms during plane strain compression of cube-oriented f.c.c. crystals
- W. H. Guo and H. W. Kui 2117 Bulk nanostructured alloy formation with controllable grain size
- B. Peeters, S. R. Kalidindi, P. Van Houtte and E. Aernoudt 2123 A crystal plasticity based work-hardening/softening model for b.c.c. metals under changing strain paths
- X. Z. Zhang and J. F. Knott 2135 The statistical modelling of brittle fracture in homogeneous and heterogeneous steel microstructures
- K. Oi, C. Lux and G. R. Purdy 2147 A study of the influence of Mn and Ni on the kinetics of the proeutectoid ferrite reaction in steels
- Sung 2157 Kinetics analysis of mullite formation reaction at high temperatures
- Y. Wang, D. J. Srolovitz, J. M. Rickman and R. LeSar 2163 Dislocation motion in the presence of diffusing solutes: a computer simulation study
- M. Ekroth, R. Frykholm, M. Lindholm, H.-O. Andrén and J. Ågren 2177 Gradient zones in WC-Ti(C,N)-Co-based cemented carbides: experimental study and computer simulations
- G. Winther, X. Huang and N. Hansen 2187 Crystallographic and macroscopic orientation of planar dislocation boundaries—correlation with grain orientation

- S. P. Baker, Y-C. Joo,  
M. P. Knauß and E. Arzt 2199 Electromigration damage in mechanically deformed Al  
conductor lines: dislocations as fast diffusion paths
- W-Z. Zhang, F. Ye,  
C. Zhang, Y. Qi and  
H-S. Fang 2209 Unified rationalization of the Pitsch and T-H orientation  
relationships between Widmanstätten cementite and  
austenite
- H. Biermann, B. von  
Grossmann, T. Ungár,  
S. Mechsner, A. Souvorov,  
M. Drakopoulos,  
A. Snigirev and  
H. Mughrabi 2221 Determination of local strains in a monocrystalline turbine  
blade by microbeam X-ray diffraction with synchrotron  
radiation
- P. O. Kettunen 2231 Statistical theory as applied to cyclic hardening
- A. W. Zhu, J. Chen and  
E. A. Starke 2239 Precipitation strengthening of stress-aged Al-xCu alloys
- D. H. Shin, B. C. Kim,  
Y-S. Kim and K-T. Park 2247 Microstructural evolution in a commercial low carbon steel  
by equal channel angular pressing
- T. Kato, K. Nunome,  
K. Kaneko and H. Saka 2257 Formation of the  $\zeta$  phase at an interface between an Fe  
substrate and a molten 0.2 mass% Al-Zn during  
galvannealing
- L. C. Lim, P. M. Wong and  
M. Jan 2263 Microstructural evolution during sintering of near-  
monosized agglomerate-free submicron alumina powder  
compacts
- A. Gouldstone, H-J. Koh,  
K-Y. Zeng,  
A. E. Giannakopoulos and  
S. Suresh 2277 Discrete and continuous deformation during  
nanoindentation of thin films
- M. Vandyoussefi, H. W. Kerr  
and W. Kurz 2297 Two-phase growth in peritectic Fe-Ni alloys
- S. Yang, A. M. Gokhale and  
Z. Shan 2307 Utility of microstructure modeling for simulation of micro-  
mechanical response of composites containing non-  
uniformly distributed fibers
- P. Müllner and  
A. E. Romanov 2323 Internal twinning in deformation twinning
- J. H. Zhu and C. T. Liu 2339 Defect structures in  $\text{ZrCo}_2$  Laves phase
- I. Duarte and J. Banhart 2349 A study of aluminium foam formation—kinetics and  
microstructure
- D. Sun, F. Gingl, H. Enoki, D.  
K. Ross and E. Akiba 2363 Phase components of the sintered Mg-x wt%  $\text{LaNi}_5$  (x=20-  
50) composites and their hydrogenation properties
- G-D. Zhan, M. Mitomo,  
R-J. Xie and K. Kurashima 2373 The deformation mechanisms of superplastic flow in fine-  
grained beta-silicon nitride ceramics

- |   |      |  |
|---|------|--|
| R. Menig, M. H. Meyers,<br>M. A. Meyers and<br>K. S. Vecchio                | 2383 | Quasi-static and dynamic mechanical response of <i>Haliotis rufescens</i> (abalone) shells   |
| C. J. Shih, M. A. Meyers,<br>V. F. Nesterenko and<br>S. J. Chen             | 2399 | Damage evolution in dynamic deformation of silicon carbide   |
| L. Pardo, A. Castro,<br>P. Millán, C. Alemany,<br>R. Jiménez and B. Jiménez | 2421 | (Bi <sub>3</sub> TiNbO <sub>9</sub> ) <sub>x</sub> (SrBi <sub>2</sub> Nb <sub>2</sub> O <sub>9</sub> ) <sub>1-x</sub> aurivillius type structure piezoelectric ceramics obtained from mechanochemically activated oxides |

#### NUMBER 10

- |   |      |   |
|---|------|---|
| A. Wikström and<br>P. Gudmundson  | 2429 | Stresses in passivated lines from curvature measurements  |
| K. P. Mingard, B. Cantor,<br>I. G. Palmer, I. R. Hughes,<br>P. W. Alexander,<br>T. C. Willis and J. White | 2435 | Macro-segregation in aluminium alloy sprayformed billets  |
| L. Weber, B. Moser,<br>H. U. Künzi and A.<br>Mortensen  | 2451 | Swift and inverse Swift effect in alumina fiber reinforced aluminum wires   |
| B. Basu, R. G. Vitchev,<br>J. Vleugels, J. P. Celis and<br>O. Van Der Biest                               | 2461 | Influence of humidity on the fretting wear of self-mated tetragonal zirconia ceramics   |
| M. Schwind, J. Källqvist,<br>J-O. Nilsson, J. Ågren<br>and H-O. Andrén                                    | 2473 | $\sigma$ -phase precipitation in stabilized austenitic stainless steels   |
| C-A. Gandin   | 2483 | From constrained to unconstrained growth during directional solidification  |
| A. Artemev, Y. Wang and<br>A. G. Khachaturyan   | 2503 | Three-dimensional phase field model and simulation of martensitic transformation in multilayer systems under applied stresses |
| J. Svoboda and P. Luk   | 2519 | Creep deformation modelling of superalloy single crystals   |
| M. Lebyodkin, L. Dunin-<br>Barkowskii, Y. Bréchet,<br>Y. Estrin and L. P. Kubin                           | 2529 | Spatio-temporal dynamics of the Portevin-Le Chatelier effect: experiment and modelling  |
| Y. Huang, F. J. Humphreys<br>and M. Ferry   | 2543 | The annealing behaviour of deformed cube-oriented aluminium single crystals   |
| A. Landa, P. Wynblatt,<br>E. Johnson and U. Dahmen  | 2557 | Computer simulation of Pb/Al interfaces   |
| A. Zavaliangos and A. Laptev  | 2565 | The densification of powder mixtures containing soft and hard components under static and cyclic pressure                     |



- |  |      |   |
|--|------|---|
| E. Pippel, J. Woltersdorf,<br>J. Gegner and<br>R. Kirchheim                                      | 2571 | Evidence of oxygen segregation at Ag/MgO interfaces   |
| C. M. Wang, G. S. Cargill, H.<br>M. Chan and<br>M. P. Harmer                                     | 2579 | Structural features of Y-saturated and supersaturated grain boundaries in alumina   |
| M. Y. He, A. G. Evans and<br>J. W. Hutchinson  | 2593 | The ratcheting of compressed thermally grown thin films on ductile substrates   |
| N. Nagendra, U. Ramamurty,<br>T. T. Goh and Y. Li  | 2603 | Effect of crystallinity on the impact toughness of a La-based bulk metallic glass   |
| Y. T. Pei and<br>J. T. M. De Hosson  | 2617 | Functionally graded materials produced by laser cladding  |
| K. Matsuki, T. Aida,<br>T. Takeuchi, J. Kusui and<br>K. Yokoe                                    | 2625 | Microstructural characteristics and superplastic-like behavior in aluminum powder alloy consolidated by equal-channel angular pressing                              |
| W. Lengauer, M. Bohn,<br>B. Wolle and K. Lisak   | 2633 | Phase reactions in the Nb-N system below 1400°C   |
| C. Cayron and P. A. Buffat   | 2639 | Transmission electron microscopy study of the $\beta'$ phase (Al-Mg-Si alloys) and QC phase (Al-Cu-Mg-Si alloys): ordering mechanism and crystallographic structure |
| T. J. Shaw, J. W. Chan,<br>S.-H. Kang, R. McDermott,<br>J. W. Morris and J. Clarke               | 2655 | Scanning SQUID microscope differentiation of ferromagnetic steel phases   |
| E. El-Danaf, S. R. Kalidindi,<br>R. D. Doherty and<br>C. Necker                                  | 2665 | Deformation texture transition in brass: critical role of micro-scale shear bands   |
| M. Athènes, P. Bellon and<br>G. Martin   | 2675 | Effects of atomic mobilities on phase separation kinetics: a Monte-Carlo study  |
| V. A. Snyder, J. Alkemper and<br>P. W. Voorhees  | 2689 | The development of spatial correlations during Ostwald ripening: a test of theory   |
| P. A. Carvalho,<br>H. S. D. Haarsma,<br>B. J. Kooi,<br>P. M. Bronsveld and<br>J. T. M. De Hosson | 2703 | HRTEM study of Co <sub>7</sub> W <sub>6</sub> and its typical defect structure  |
| T. E. Mitchell   | 2713 | A dislocation tetrahedron for MoSi <sub>2</sub>   |
| A. Kumar and P. R. Dawson  | 2719 | Computational modeling of f.c.c. deformation textures over Rodrigues' space   |
| N. J. Wittridge and J. J. Jonas  | 2737 | The austenite-to-martensite transformation in Fe-30%Ni after deformation by simple shear  |



- A. Charai, T. Walther, 2751 Coexistence of clusters, GPB zones, S'', S'- and S-phases  
C. Alfonso, A-M. Zahra and  
C. Y. Zahra  
in an Al-0.9% Cu-1.4% Mg alloy

# NUMBER 11

- A. Borgenstam and M. Hillert 2765 Massive transformation in the Fe-Ni system
- A. Borgenstam and M. Hillert 2777 Nucleation of isothermal martensite
- Y. Zhang, N. Wanderka, 2787 Phase chemistry of the superalloy SC16 after creep  
G. Schumacher,  
R. Schneider and  
W. Neumann  
deformation
- T. Tsuzuki and 2795 Synthesis of Cr<sub>2</sub>O<sub>3</sub> nanoparticles by mechanochemical  
P. G. McCormick  
processing
- W-J. Zhang, U. Lorenz and F. 2803 Recovery, recrystallization and phase transformations  
Appel  
during thermomechanical processing and treatment of  
TiAl-based alloys
- S. W. Banovic, J. N. DuPont 2815 The use of ternary phase diagrams in the study of high  
and A. R. Marder  
temperature corrosion products formed on Fe-5 wt% Al  
alloys in reducing and oxidizing environments
- A. L. Greer, A. M. Bunn, 2823 Modelling of inoculation of metallic melts: application to  
A. Tronche, P. V. Evans  
grain refinement of aluminium by Al-Ti-B  
and D. J. Bristow
- N. Goukon, T. Yamada and 2837 Boundary energies of  $\Sigma 11$  [110] asymmetric tilt boundaries  
M. Kajihara  
in Cu determined from the shape of boundary silica  
particles
- T-Y. Zhang, Y-J. Su, 2843 Microbridge testing of silicon nitride thin films deposited  
C-F. Qian, M-H. Zhao and  
L-Q. Chen  
on silicon wafers
- P. Somani, A. B. Mandale and 2859 Study and development of conducting polymer-based  
S. Radhakrishnan  
electrochromic display devices
- D. Isheim 2873 Metastable phase formation during the decomposition of  
Fe-20 at.% Mo
- D. H. Carter and 2885 Neutron diffraction study of the deformation behavior of  
M. A. M. Bourke  
beryllium-aluminum composites
- N. H. Heo, K. H. Chai and 2901 Correlation between interfacial segregation and surface-  
J. G. Na  
energy-induced selective grain growth in 3% silicon-iron  
alloy
- V. Massardier, T. Epicier and 2911 Correlation between the microstructural evolution of a  
P. Merle  
6061 aluminium alloy and the evolution of its  
thermoelectric power

- D. N. Torres, R. A. Perez and F. Dymont 2925 Diffusion of tin in  $\alpha$ -iron
- H. Fujii, T. Matsumoto and K. Nogi 2933 Analysis of surface oscillation of droplet under microgravity for the determination of its surface tension
- C. Mennicke, M.-Y. He, D. R. Clarke and J. S. Smith 2941 The role of secondary oxide inclusions ("pegs") on the spalling resistance of oxide films
- A. Paúl, J. A. Odriozola, M. A. San Miguel, J. Fernández Sanz and L. J. Álvarez 2951 Experimental and molecular dynamics simulation analysis of  $\text{LaCrO}_3$  precipitation in chromia scales
- N. Goukon, T. Ikeda and M. Kajihara 2959 Growth behavior of fine grains formed by diffusion induced recrystallization in the Cu(Zn) system
- L. Löchte, A. Gitt, G. Gottstein and I. Hurtado 2969 Simulation of the evolution of GP zones in Al-Cu alloys: an extended Cahn-Hilliard approach
- D. A. Hughes and N. Hansen 2985 Microstructure and strength of nickel at large strains
- W. Pantleon and D. Stoyan 3005 Correlations between disorientations in neighbouring dislocation boundaries
- P. Coquay, E. De Grave, R. E. Vandenberghe, C. Dauwe, E. Flahaut, C. Laurent, A. Peigney and A. Rousset 3015 Mössbauer spectroscopy study of  $\text{MgAl}_2\text{O}_4$ -matrix nanocomposite powders containing carbon nanotubes and iron-based nanoparticles

3025 Corrigendum

## NUMBER 12

- J. Pons, V. A. Chernenko, R. Santamarta and E. Cesari 3027 Crystal structure of martensitic phases in Ni-Mn-Ga shape memory alloys
- D. J. Harris, J. H. Harding and G. W. Watson 3039 Computer simulation of the reactive element effect in NiO grain boundaries
- K. Nagashio, K. Kuribayashi and Y. Takamura 3049 Phase selection of peritectic phase in undercooled Nd-based superconducting oxides
- E. Owczarek and T. Zakroczyński 3059 Hydrogen transport in a duplex stainless steel
- S. B. Lee, D. Y. Yoon and M. F. Henry 3071 Abnormal grain growth and grain boundary faceting in a model Ni-base superalloy
- S. Zhang and P. G. McCormick 3081 Thermodynamic analysis of shape memory phenomena — I. Effect of transformation plasticity on elastic strain energy

- |  |      |  |
|--|------|--|
| S. Zhang and<br>P. G. McCormick  | 3091 | Thermodynamic Analysis of Shape Memory Phenomena —<br>II. Modelling  |
| J. G. Li and X. Sun  | 3103 | Synthesis and sintering behavior of a nanocrystalline $\alpha$ -<br>alumina powder   |
| I. Ohnuma, Y. Fujita,<br>H. Mitsui, K. Ishikawa,<br>R. Kainuma and K. Ishida     | 3113 | Phase equilibria in the Ti–Al binary system  |
| K. Choi, J-W. Choi,<br>D-Y. Kim and<br>N. M. Hwang                               | 3125 | Effect of coalescence on the grain coarsening during<br>liquid-phase sintering of TaC–TiC–Ni cermets                                     |
| J. Cheng and<br>S. Nemat-Nasser  | 3131 | A model for experimentally-observed high-strain-rate<br>dynamic strain aging in titanium   |
| C. H. Iwashita and R. P. Wei   | 3145 | Coarsening of grain boundary carbides in a nickel-based<br>ternary alloy during creep  |
| H. Gabrisch and D. Mukherji  | 3157 | Character of dislocations at the $\gamma/\gamma'$ interfaces and internal<br>stresses in nickel-base superalloys                         |
| T-S. Park and S. Suresh  | 3169 | Effects of line and passivation geometry on curvature<br>evolution during processing and thermal cycling in copper<br>interconnect lines |
| G. B. McFadden,<br>S. R. Coriell and<br>R. F. Sekerka                            | 3177 | Effect of surface free energy anisotropy on dendrite tip<br>shape  |
| P. Bate and B. Hutchinson  | 3183 | The effect of elastic interactions between displacive<br>transformations on textures in steels   |
| J. Ni, T. Ashino and S. Iwata  | 3193 | Kinetics of ordering and disordering in the Fe–Al–Ti<br>ternary alloy  |
| M. Jiménez-Melendo and<br>A. Domínguez-Rodríguez                                 | 3201 | High temperature mechanical characteristics of superplastic<br>yttria-stabilized zirconia. An examination of the flow<br>process         |
| M. R. Begley, D. R. Mumm,<br>A. G. Evans and<br>J. W. Hutchinson                 | 3211 | Analysis of a wedge impression test for measuring the<br>interface toughness between films/coatings and ductile<br>substrates            |
| H. N. Lee, D. R. Johnson,<br>H. Inui, M. H. Oh,<br>D. M. Wee and<br>M. Yamaguchi | 3221 | Microstructural control through seeding and directional<br>solidification of TiAl alloys containing Mo and C                             |
| L. Weber, P. Canalis-Nieto, A.<br>Rossoll and<br>A. Mortensen                    | 3235 | Fracture strength of alumina fiber reinforced aluminum<br>wire with and without a torsional pre-strain                                   |
| D. H. Shin, B. C. Kim,<br>K-T. Park and W. Y. Choo                               | 3245 | Microstructural changes in equal channel angular pressed<br>low carbon steel by static annealing   |

- |                           |      |  |
|---------------------------|------|--|
| S. Q. Xiao and J. M. Howe | 3253 | Analysis of a two-dimensional invariant line interface for the case of a general transformation strain and application to thin-film interfaces |
| H. Huang and F. Spaepen   | 3261 | Tensile testing of free-standing Cu, Ag and Al thin films and Ag/Cu multilayers  |
| S. C. Hwang and R. Waser  | 3271 | Study of electrical and mechanical contribution to switching in ferroelectric/ferroelastic polycrystals  |

# NUMBER 13

- |  |      |  |
|--|------|--|
| V. K. Tolpygo and<br>D. R. Clarke  | 3283 | Surface rumpling of a (Ni, Pt)Al bond coat induced by cyclic oxidation   |
| G. Mohamed and B. Bacroix  | 3295 | Role of stored energy in static recrystallization of cold rolled copper single and multicrystals                 |
| J. M. Pénisson and<br>T. Vystavel  | 3303 | Wetting of molybdenum grain boundaries by nickel: effect of the boundary structure and energy                    |
| H. Schitoglu, I. Karaman,<br>R. Anderson, X. Zhang,<br>K. Gall, H. J. Maier and<br>Y. Chumlyakov   | 3311 | Compressive response of NiTi single crystals   |
| N. Rajmohan and<br>J. A. Szpunar   | 3327 | A new model for recrystallization of heavily cold-rolled aluminum using orientation-dependent stored energy      |
| I. Sridhar and N. A. Fleck   | 3341 | Yield behaviour of cold compacted composite powders  |
| J. M. Manero, F. J. Gil and<br>J. A. Planell   | 3353 | Deformation mechanisms of Ti-6Al-4V alloy with a martensitic microstructure subjected to oligocyclic fatigue     |
| G. J. Baczynski, R. Guzzo, M.<br>D. Ball and D. J. Lloyd   | 3361 | Development of roping in an aluminum automotive alloy AA6111   |
| C. P. Chang, P. L. Sun and P.<br>W. Kao  | 3377 | Deformation induced grain boundaries in commercially pure aluminium  |
| S. Aggarwal, B. Nagaraj,<br>I. G. Jenkins, H. Li,<br>R. P. Sharma,<br>L. Salamanca-Riba,<br>R. Ramesh, A. M. Dhote,<br>A. R. Krauss<br>and O. Auciello | 3387 | Correlation between oxidation resistance and crystallinity of Ti-Al as a barrier layer for high-density memories |
| A. C. F. Cocks and<br>M. F. Ashby  | 3395 | Creep-buckling of cellular solids  |
| H. Y. Yasuda, D. Furuta and<br>Y. Umakoshi   | 3401 | Effect of long-range order on the cyclic deformation behaviour of Ni <sub>3</sub> Fe single crystals             |

- A. J. Beaudoin, A. Acharya, S. R. Chen, D. A. Korzekwa and M. G. Stout 3409 Consideration of grain-size effect and kinetics in the plastic deformation of metal polycrystals
- J. W. Cahn and A. Novick-Cohen 3425 Motion by curvature and impurity drag: resolution of a mobility paradox
- P. D. Nicolaou and S. L. Semiatin 3441 An analysis of the effect of continuous nucleation and coalescence on cavitation during hot tension testing
- J. Alcalá, A. C. Barone and M. Anglada 3451 The influence of plastic hardening on surface deformation modes around Vickers and spherical indents
- T. Nakano, M. Kishimoto, D. Furuta and Y. Umakoshi 3465 Effect of substitutional elements on plastic deformation behaviour of NbSi<sub>2</sub>-based silicide single crystals with C40 structure
- Y. Harada and D. C. Dunand 3477 Creep properties of Al<sub>3</sub>Sc and Al<sub>3</sub>(Sc, X) intermetallics
- Y. Liu and D. Favier 3489 Stabilisation of martensite due to shear deformation via variant reorientation in polycrystalline NiTi
- H. D. Chopra, E. J. Repetski, H. J. Brown, P. J. Chen, L. J. Swartzendruber and W. F. Egelhoff 3501 Magnetic behavior of atomically engineered NiO-Co-Cu-based giant magnetoresistance spin valves using Pb as a surface modifier
- J. W. Kysar 3509 Directional dependence of fracture in copper/sapphire bicrystal
- A. Morawiec 3525 Method to calculate the grain boundary energy distribution over the space of macroscopic boundary parameters from the geometry of triple junctions
- C. H. Shang, D. Van Heerden, A. J. Gavens and T. P. Weihs 3533 An X-ray study of residual stresses and bending stresses in free-standing Nb/Nb<sub>5</sub>Si<sub>3</sub> microlaminates
- C-G. Stefanita, D. L. Atherton and L. Clapham 3545 Plastic versus elastic deformation effects on magnetic Barkhausen noise in steel
- J. Rösler and M. Bäker 3553 A theoretical concept for the design of high-temperature materials by dual-scale particle strengthening
- J-F. Chou, M-H. Lin and H-Y. Lu 3569 Ferroelectric domains in pressureless-sintered barium titanate
- J. Du, M. D. Thouless and A. F. Yee 3581 Effects of rate on crack growth in a rubber-modified epoxy
- V. Cannillo and W. C. Carter 3593 Computation and simulation of reliability parameters and their variations in heterogeneous materials

- Y. Sun and R. N. Singh 3607 Determination of fiber bridging stress profile by debond length measurement
- 3621 Corrigendum

#### NUMBER 14

- D. I. Thomson, V. Heine, M. C. Payne, N. Marzari and M. W. Finnis 3623 Insight into gallium behavior in aluminum grain boundaries from calculation on  $\Sigma = 11$  (113) boundary
- Z. Horita, M. Furukawa, M. Nemoto, A. J. Barnes and T. G. Langdon 3633 Superplastic forming at high strain rates after severe plastic deformation
- G. Palasantzas and J. Th. M. De Hosson 3641 Roughness effect on the measurement of interface stress
- U. Lagerpusch, V. Mohles, D. Baither, B. Anczykowski and E. Nembach 3647 Double strengthening of copper by dissolved gold-atoms and by incoherent  $\text{SiO}_2$ -particles: how do the two strengthening contributions superimpose?
- M. Seidel, J. Eckert, I. Bäcker, M. Reibold and L. Schultz 3657 Progress of solid-state reaction and glass formation in mechanically alloyed  $\text{Zr}_{65}\text{Al}_{7.5}\text{Cu}_{17.5}\text{Ni}_{10}$
- G. Shao and P. Tsakiropoulos 3671 On the  $\omega$  phase formation in Cr-Al and Ti-Al-Cr alloys
- B. J. Kooi and J. Th. M. De Hosson 3687 Influence of misfit and interfacial binding energy on the shape of the oxide precipitates in metals; interfaces between  $\text{Mn}_3\text{O}_4$  precipitates and Pd studied with HRTEM
- R. Yu, L. L. He, J. T. Guo, H. Q. Ye and V. Lupinc 3701 Orientation relationship and interfacial structure between  $\zeta$ - $\text{Ti}_5\text{Si}_3$  precipitates and  $\gamma$ -TiAl intermetallics
- M. I. Mendelev and D. J. Srolovitz 3711 Kink model for extended defect migration: theory and simulations
- G. Ghosh 3719 Interfacial microstructure and the kinetics of interfacial reaction in diffusion couples between Sn-Pb solder and Cu/Ni/Pd metallization
- T. Aoyama and K. Kuribayashi 3739 Influence of undercooling on solid/liquid interface morphology in semiconductors
- D. V. Shtansky, O. Tsuda, Y. Ikuhara and T. Yoshida 3745 Crystallography and structural evolution of cubic boron nitride films during bias sputter deposition
- J. C. Sánchez-López and A. Fernández 3761 TEM study of fractal scaling in nanoparticle agglomerates obtained by gas-phase condensation
- M. Perez, J.-C. Barbé, Z. Neda, Y. Bréchet and L. Salvo 3773 Computer simulation of the microstructure and rheology of semi-solid alloys under shear

- |  |      |   |
|--|------|---|
| J. Nuffer, D. C. Lupascu and J. Rödel  | 3783 | Damage evolution in ferroelectric PZT induced by bipolar electric cycling                                     |
| C. Zhao, J. Vleugels, C. Groffils, P. J. Luybaert and O. van der Biest       | 3795 | Hybrid sintering with a tubular susceptor in a cylindrical single-mode microwave furnace                      |
| E. Flahaut, A. Peigney, Ch. Laurent, Ch. Marlière, F. Chastel and A. Rousset | 3803 | Carbon nanotube-metal-oxide nanocomposites: microstructure, electrical conductivity and mechanical properties |

#### NUMBER 15

- |   |      |  |
|---|------|--|
| A. G. Balanyuk, V. G. Gavriljuk, V. N. Shivanyuk, A. I. Tyshchenko and J. C. Rawers | 3813 | Mössbauer study and thermodynamic modeling of Fe-C-N alloy   |
| G. J. Fan, W. Löser, S. Roth and J. Eckert  | 3823 | Glass-forming ability of RE-Al-TM alloys (RE=Sm, Y; TM=Fe, Co, Cu)   |
| P. L. Potapov, P. Ochinnikov, J. Pons and D. Schryvers                              | 3833 | Nanoscale inhomogeneities in melt-spun Ni-Al   |
| D. J. Lee and J. K. Lee   | 3847 | On coherency-induced ordering in substitutional alloys—I. Analytical   |
| A. J. Craven, K. He, L. A. J. Garvie and T. N. Baker                                | 3857 | Complex heterogeneous precipitation in titanium-niobium microalloyed Al-killed HSLA steels—I. (Ti,Nb)(C,N) particles   |
| A. J. Craven, K. He, L. A. J. Garvie and T. N. Baker                                | 3869 | Complex heterogeneous precipitation in titanium-niobium microalloyed Al-killed HSLA steels—II. Non-titanium based particles  |
| V. G. Gavriljuk, B. D. Shanina and H. Berns   | 3879 | On the correlation between electron structure and short range atomic order in iron-based alloys  |
| B. Y. Li, L. J. Rong, Y. Y. Li and V. E. Gjunter                                    | 3895 | Synthesis of porous Ni-Ti shape-memory alloys by self-propagating high-temperature synthesis: reaction mechanism and anisotropy in pore structure                                    |
| R. S. Kottada and A. H. Chokshi   | 3905 | The high temperature tensile and compressive deformation characteristics of magnesia doped alumina   |
| R. E. Logé, J. W. Signorelli, Y. B. Chastel, M. Y. Perrin and R. A. Lebensohn       | 3917 | Sensitivity of $\alpha$ -Zr <sub>4</sub> high-temperature deformation textures to the $\beta$ -quenched precipitate structure and to recrystallization: application to hot extrusion |
| T. Chairuangsi and D. V. Edmonds  | 3931 | The precipitation of copper in abnormal ferrite and pearlite in hyper-eutectoid steels   |

- |   |      |   |
|---|------|---|
| X. Doré, H. Combeau and M. Rappaz             | 3951 | Modelling of microsegregation in ternary alloys: application to the solidification of Al-Mg-Si                              |
| A. Rabiei and A. G. Evans                     | 3963 | Failure mechanisms associated with the thermally grown oxide in plasma-sprayed thermal barrier coatings                     |
| J. M. Howe, H. I. Aaronson and J. P. Hirth    | 3977 | Aspects of interphase boundary structure in diffusional phase transformations   |
| B. S. Murty, D. H. Ping, K. Hono and A. Inoue | 3985 | Influence of oxygen on the crystallization behavior of $Zr_{65}Cu_{27.5}Al_{7.5}$ and $Zr_{66.7}Cu_{33.3}$ metallic glasses |

#### NUMBER 16

- |  |      |  |
|--|------|--|
| S. H. Chen and T. C. Wang  | 3997 | A new hardening law for strain gradient plasticity   |
| S. Müller, C. Wolverton, L. -W. Wang and A. Zunger               | 4007 | Predicting the size- and temperature-dependent shapes of precipitates in Al-Zn alloys  |
| C. -E. Rousseau and H. V. Tippur                                 | 4021 | Compositionally graded materials with cracks normal to the elastic gradient  |
| A. K. Gangopadhyay, T. K. Croat and K. F. Kelton                 | 4035 | The effect of phase separation on subsequent crystallization in $Al_{88}Gd_6La_2Ni_4$  |
| H. Conrad and Di Yang  | 4045 | Influence of an electric field on the plastic deformation of fine-grained MgO at high homologous temperatures  |
| N. Bergeon, S. Kajiwarra and T. Kikuchi                          | 4053 | Atomic force microscope study of stress-induced martensite formation and its reverse transformation in a thermomechanically treated Fe-Mn-Si-Cr-Ni alloy |
| T. Lehnert, H. Grimmer, P. Böni, M. Horisberger and R. Gotthardt | 4065 | Characterization of shape-memory alloy thin films made up from sputter-deposited Ni/Ti multilayers   |
| X. Huang and N. H. Pryds   | 4073 | Crystallography and morphology of cementite precipitates formed during rapid solidification of a ferritic stainless steel                                |
| K. T. Moore and J. M. Howe                                       | 4083 | Characterization of $\gamma$ plate-shaped precipitates in an Al-4.2 AT.% Ag alloy — growth kinetics, solute field, composition and modeling              |
| A. Kolleck, G. A. Schneider and F. A. Meschke                    | 4099 | R-curve behavior of $BaTiO_3$ - and PZT ceramics under the influence of an electric field applied parallel to the crack front                            |
| J. B. Correia and H. A. Davies                                   | 4115 | Magnetic and structural monitoring of nanophase precipitation during ageing of water-atomised Cu-5% Co alloy powders                                     |



- Y. H. Wen, Y. Wang,  
L. A. Bendersky and  
L. Q. Chen 4125 Microstructural evolution during the  $\alpha_2 \rightarrow \alpha_2 + O$   
transformation in Ti-AL-NB alloys: phase-field simulation  
and experimental validation
- B. N. Cox, N. Sridhar  
and C. R. Argento 4137 A bridging law for creeping fibres
- B. -N. Kim and K. Hiraga 4151 Simulation of diffusional creep accompanied by grain  
growth in two-dimensional polycrystalline solids
- H. Muto and M. Sakai 4161 The large-scale deformation of polycrystalline aggregates:  
cooperative grain-boundary sliding
- A. Epishin, T. Link,  
P. D. Portella and  
U. Brückner 4169 Evolution of the  $\gamma/\gamma'$  microstructure during high-  
temperature creep of a nickel-base superalloy

4179 Erratum

#### NUMBER 17

- F. Roters, D. Raabe and  
G. Gottstein 4181 Work hardening in heterogeneous alloys—a microstructural  
approach based on three internal state variables
- O. Hunziker, D. Dye and  
R. C. Reed 4191 On the formation of a centreline grain boundary during  
fusion welding
- P. A. Carvalho, M. Sijbolts, B.  
J. Kooi and  
J. Th. M. De Hosson 4203 High-resolution transmission electron microscopy study of  
discontinuously precipitated  $Ni_3Sn$
- M. T. Todinov 4217 On some limitations of the Johnson-Mehl-Avrami-  
Kolmogorov equation
- J. A. Vreeling, V. Ocelík,  
Y. T. Pei, D. T. L. van  
Agterveld and J. Th. M. De  
Hosson 4225 Laser melt injection in aluminum alloys: on the role of the  
oxide skin
- C. W. Anderson, G. Shi,  
H. V. Atkinson and  
C. M. Sellars 4235 The precision of methods using the statistics of extremes  
for the estimation of the maximum size of inclusions in  
clean steels
- M. E. Kassner, M. -T. Pérez-  
Prado, K. S. Vecchio and  
M. A. Wall 4247 Determination of internal stresses in cyclically deformed  
copper single crystals using convergent-beam electron  
diffraction and dislocation dipole separation measurements
- M. Wen and A. H. W. Ngan 4255 Atomistic simulation of kink-pairs of screw dislocations in  
body-centred cubic iron
- Q. Liu, J. Wert and  
N. Hansen 4267 Location-dependent lattice rotation and shear strain in  
rolled aluminium single crystals of cube and Goss  
orientations

- |  |      |  |
|--|------|--|
| J. Zackrisson, U. Rolander,<br>B. Jansson and H. -O.<br>Andrén | 4281 | Microstructure and performance of a cermet material heat-treated in nitrogen   |
| T. Nakamura, T. Wang and S.<br>Sampath                         | 4293 | Determination of properties of graded materials by inverse analysis and instrumented indentation                       |
| Q. Feng and S. H. Whang  | 4307 | Deformation of Ti-56 At.%Al single crystals oriented for single slip by $1/2\langle 110 \rangle$ ordinary dislocations |
| W. Wu, G. Jiang,<br>R. H. Wagoner and<br>G. S. Daehn           | 4323 | Experimental and numerical investigation of idealized consolidation. Part I: static compaction                         |
| G. Jiang, W. Wu,<br>G. S. Daehn and<br>R. H. Wagoner           | 4331 | Experimental and numerical investigation of idealized consolidation. Part II: cyclic compaction                        |
| J. Lépinoux and Y. Estrin                                      | 4337 | Mechanical behaviour of alloys containing heterogeneously distributed particles: modelling with Delaunay triangulation |
| C. W. Smith, J. N. Grima<br>and K. E. Evans                    | 4349 | A novel mechanism for generating auxetic behaviour in reticulated foams: missing rib foam model                        |
| M. Göthelid, S. Haglund and<br>J. Ågren                        | 4357 | Influence of O and Co on the early stages of sintering of WC-Co: a surface study by AES and STM                        |

NUMBER 18/19

PROCEEDINGS OF THE ACTA MATERIALIA WORKSHOP ON  
"CERAMIC AND BIMATERIAL INTERFACES: DESIGNING FOR PROPERTIES"

20-23 SEPTEMBER 1999, SEVILLE, SPAIN

- |   |      |  |
|---|------|--|
| A. P. Tomsia, J. S. Moya<br>and G. Thomas | 4363 | Preface  |
| M. Backhaus-Ricoult                       | 4365 | A model of oxygen-activity-dependent adsorption (desorption) to metal-oxide interfaces                 |
| A. G. Marinopoulos and<br>C. Elsässer     | 4375 | Microscopic structure and bonding at the rhombohedral twin interface in $\alpha\text{-Al}_2\text{O}_3$ |
| H. Dosch and H. Reichert                  | 4387 | Ordering, disordering and segregation at binary interfaces: model system $\text{Cu}_3\text{Au}(001)$   |
| J. R. Smith and W. Zhang                  | 4395 | Stoichiometric interfaces of Al and Ag with $\text{Al}_2\text{O}_3$                                    |
| M. Voué and J. De Coninck                 | 4405 | Spreading and wetting at the microscopic scale: recent developments and perspectives                   |
| T. P. Swiler and<br>R. E. Loehman         | 4419 | Molecular dynamics simulations of reactive wetting in metal-ceramic systems                            |

- |  |      |  |
|--|------|--|
| R. A. Marks, D. R. Chapman,<br>D. T. Danielson and<br>A. M. Glaeser                  | 4425 | Joining of alumina via copper/niobium/copper interlayers   |
| P. Wynblatt  | 4439 | The effects of interfacial segregation on wetting in solid metal-on-metal and metal-on-ceramic systems   |
| E. Saiz, R. M. Cannon and A.<br>P. Tomsia  | 4449 | Reactive spreading: adsorption, ridging and compound formation   |
| E. Rabkin and I. Snapiro   | 4463 | Wetting of the low-angle grain boundaries  |
| D. B. Marshall, J. R. Waldrop<br>and P. E. D. Morgan                                 | 4471 | Thermal grooving at the interface between alumina and monazite   |
| K. Suganuma, M. Ueshima,<br>I. Ohnaka, H. Yasuda,<br>J. Zhu and T. Matsuda           | 4475 | Lift-off phenomenon in wave soldering  |
| C. Rado, B. Drevet and<br>N. Eustathopoulos  | 4483 | The role of compound formation in reactive wetting: the Cu/SiC system  |
| P. F. Becher, G. S. Painter, E.<br>Y. Sun, C. H. Hsueh and<br>M. J. Lance            | 4493 | The importance of amorphous intergranular films in self-reinforced Si <sub>3</sub> N <sub>4</sub> ceramics   |
| J. Luo and Y. -M. Chiang   | 4501 | Existence and stability of nanometer-thick disordered films on oxide surfaces  |
| R. Pérez and P. Gumbsch  | 4517 | An <i>ab initio</i> study of the cleavage anisotropy in silicon  |
| M. P. De Boer, J. A. Knapp,<br>T. A. Michalske,<br>U. Srinivasan and<br>R. Maboudian | 4531 | Adhesion hysteresis of silane coated microcantilevers  |
| A. J. Kinloch, M. S. G. Little<br>and J. F. Watts                                    | 4543 | The role of the interphase in the environmental failure of adhesive joints   |
| F. Yubero, M. Ocaña,<br>A. Caballero and<br>A. R. González-Elipé                     | 4555 | Structural modifications produced by the incorporation of Ar within the lattice of Fe <sub>2</sub> O <sub>3</sub> thin films prepared by ion beam induced chemical vapour deposition |
| H. Guldberg-Pedersen<br>and L. Bergström   | 4563 | Stabilizing ceramic suspensions using anionic polyelectrolytes: adsorption kinetics and interparticle forces   |
| L. E. McNeil and<br>R. H. French   | 4571 | Multiple scattering from rutile TiO <sub>2</sub> particles   |
| S. Muralidhar, A. Jagota,<br>S. J. Bennison and<br>S. Saigal                         | 4577 | Mechanical behaviour in tension of cracked glass bridged by an elastomeric ligament  |
| J. Llorca, M. Elices and<br>Y. Termonia  | 4589 | Elastic properties of sphere-reinforced composites with a mesophase  |

- |   |      |   |
|---|------|---|
| D. Chen, M. E. Sixta,<br>X. F. Zhang,<br>L. C. De Jonghe<br>and R. O. Ritchie   | 4599 | Role of the grain-boundary phase on the elevated-temperature strength, toughness, fatigue and creep resistance of silicon carbide sintered with Al, B and C |
| F. Rebillat, J. Lamon and<br>A. Guette  | 4609 | The concept of a strong interface applied to SiC/SiC composites with a BN interphase  |
| J. J. Brennan   | 4619 | Interfacial characterization of a slurry-cast melt-infiltrated SiC/SiC ceramic-matrix composite   |
| A. L. Dragoo  | 4629 | The US Department of Energy's program on the fundamental material science of internal interfaces  |
| M. Kitayama, K. Hirao,<br>M. Toriyama and<br>S. Kanzaki   | 4635 | Modeling and simulation of grain growth in $\text{Si}_3\text{N}_4$ . III. Tip shape evolution   |
| M. Yoshiya, I. Tanaka and<br>H. Adachi  | 4641 | Energetical role of modeled intergranular glassy film in $\text{Si}_3\text{N}_4$ - $\text{SiO}_2$ ceramics  |
| L. Gremillard, T. Epicier,<br>J. Chevalier and<br>G. Fantozzi   | 4647 | Microstructural study of silica-doped zirconia ceramics   |
| R. Torrecillas, A. Blanco,<br>M.E. Brito, C. López,<br>M. Míguez, F. Meseguer<br>and J. S. Moya                             | 4653 | Microstructural study of CdS/opal composites  |
| F. J. Oliveira, R. F. Silva and<br>J. M. Vieira   | 4659 | Thermochemistry of contacts between silicon nitride ceramics and steels   |
| E. Verné, C. Vitale Brovarone,<br>C. Moisescu,<br>E. Ghisolfi and E. Marmo  | 4667 | Coatings on $\text{Al}_2\text{O}_3$ by bioactive glass-ceramics   |
| W. B. Hanson, K. I. Ironside<br>and J. A. Fernie  | 4673 | Active metal brazing of zirconia  |
| K. Nakashima, H. Matsumoto<br>and K. Mori   | 4677 | Effect of additional elements Ni and Cr on wetting characteristics of liquid Cu on zirconia ceramics  |
| V. M. Orera, R. I. Merino,<br>J. A. Pardo, A. Larrea,<br>J. I. Peña, C. González,<br>P. Poza, J. Y. Pastor<br>and J. Llorca | 4683 | Microstructure and physical properties of some oxide eutectic composites processed by directional solidification  |
| A. Sayir and S. C. Farmer   | 4691 | The effect of the microstructure on mechanical properties of directionally solidified $\text{Al}_2\text{O}_3/\text{ZrO}_2(\text{Y}_2\text{O}_3)$ eutectic   |
| E. Tzimas, H. Müllejjans,<br>S. D. Peteves, J. Bressers<br>and W. Stamm   | 4699 | Failure of thermal barrier coating systems under cyclic thermomechanical loading  |

- |  |      |  |
|--|------|--|
| A. Tsoga, A. Gupta,<br>A. Naoumidis and<br>P. Nikolopoulos                                 | 4709 | Gadolinia-doped ceria and yttria stabilized zirconia interfaces: regarding their application for SOFC technology       |
| M. Jiménez-Melendo,<br>F. Gutiérrez-Mora and<br>A. Domínguez-Rodríguez                     | 4715 | Effect of layer interfaces on the high-temperature mechanical properties of alumina/zirconia laminate composites       |
| M. Ferraris, M. Montorsi and<br>M. Salvo   | 4721 | Glass coating for SiC <sub>f</sub> /SiC composites for high-temperature application                                    |
| E. Carreño-Morelli,<br>S. E. Urreta and<br>R. Schaller                                     | 4725 | Mechanical spectroscopy of thermal stress relaxation at metal-ceramic interfaces in Aluminum-based composites          |
| K. Morinaga, T. Torikai,<br>K. Nakagawa and S. Fujino                                      | 4735 | Fabrication of fine $\alpha$ -alumina powders by thermal decomposition of ammonium aluminum carbonate hydroxide (AACH) |
| R. Escobar Galindo,<br>A. Van Veen,<br>A. Alba García, H. Schut<br>and J. Th. M. De Hosson | 4743 | Study of polymer/metal coating under stress using positron annihilation spectroscopy                                   |
| J. S. Moya, M. Diaz,<br>J. F. Bartolomé, E. Roman,<br>J. L. Sacedon and<br>J. Izquierdo    | 4749 | Zirconium oxide film formation on zircaloy by water corrosion  |
| K. Niwa, Y. Kotaka,<br>M. Tomotani, H. Ashida, Y.<br>Goto and S. Otani                     | 4755 | Interface between electrode and PZT memory device  |

## NUMBER 20

### vii Announcement

- |   |      |  |
|---|------|--|
| A. Brunet, R. Valle and<br>A. Vassel  | 4763 | Intermetallic TiAl-based matrix composites: investigation of the chemical and mechanical compatibility of a protective coating adapted to an alumina fibre |
| T. P. Swiler  | 4775 | The role of liquid-substrate interactions on wetting in metallic embedded atom method systems  |
| M. Ohnuma, K. Hono,<br>S. Linderoth,<br>J. S. Pedersen,<br>Y. Yoshizawa and<br>H. Onodera | 4783 | Small-angle neutron scattering and differential scanning calorimetry studies on the copper clustering stage of Fe-Si-B-Nb-Cu nanocrystalline alloys        |
| Q. Jiang, Z. Zhang and<br>J. C. Li  | 4791 | Melting thermodynamics of nanocrystals embedded in a matrix  |
| J. A. Kittl, P. G. Sanders,<br>M. J. Aziz, D. P. Brunco<br>and M. O. Thompson             | 4797 | Complete experimental test of kinetic models for rapid alloy solidification  |

Z. Yang, S. Sista, J. W. Elmer and T. Debroy	4813	Three dimensional Monte Carlo simulation of grain growth during GTA welding of titanium
O. Engler	4827	Deformation and texture of copper-manganese alloys
Y. -M. Liu, T. E. Mitchell and H. N. G. Wadley	4841	Anisotropic damage evolution in a 0°/90° laminated ceramic-matrix composite
L. M. Hsiung and D. H. Lassila	4851	Shock-induced deformation twinning and omega transformation in tantalum and tantalum-tungsten alloys
R. Srinivasan, G. F. Eggeler and M. J. Mills	4867	$\gamma'$ -cutting as rate-controlling recovery process during high-temperature and low-stress creep of superalloy single crystals
Z. Xia and W. A. Curtin	4879	Tough-to-brittle transitions in ceramic-matrix composites with increasing interfacial shear stress
H. X. Zhu, J. R. Hobdell and A. H. Windle	4893	Effects of cell irregularity on the elastic properties of open-cell foams
Y. -J. Su, C. F. Qian, M. -H. Zhao and T. -Y. Zhang	4901	Microbridge testing of silicon oxide/silicon nitride bilayer films deposited on silicon wafers
T. Zhai, A. J. Wilkinson and J. W. Martin	4917	A crystallographic mechanism for fatigue crack propagation through grain boundaries
A. Bollero, O. Gutfleisch, M. Kubis, K. -H. Müller and L. Schultz	4929	Hydrogen disproportionation by reactive milling and recombination of $\text{Nd}_2(\text{Fe}_{1-x}\text{Co}_x)_{14}\text{B}$ alloys
	I	List of Contents, Author Index and Keyword Index, Volume 48

